

RESOURCE CENTER

The State of Password Security 2025 Report

How federal agencies are addressing password security

Get the full interactive view at

<https://bitwarden.com/sv-se/resources/the-state-of-password-security/>



Assessing the State of Password Security within U.S. Federal Agencies

There has been an intense focus on cybersecurity across the United States federal government in recent years. Many agencies are leading the way in educating government organizations and large and small businesses as well as consumers.

However, not every agency is singing the same tune when it comes to password security. One of the foremost groups, the National Institute of Standards and Technology (NIST), “develops cybersecurity standards, guidelines, best practices, and other resources to meet the needs of U.S. industry, federal agencies and the broader public.”

The NIST cybersecurity page goes on to say that “some NIST cybersecurity assignments are defined by federal statutes, executive orders and policies. For example, the Office of Management and Budget (OMB) mandates that all federal agencies implement NIST’s cybersecurity standards and guidance for non-national security systems.”

Unfortunately, NIST’s recommendations have not yet been universally accepted and implemented by all federal agencies. While NIST sets the standards that agencies purport to follow, it also has its own weakness: a disorganized website.

2025 marks the fourth year Bitwarden has conducted this analysis. This year, the NSA has improved from a “Good” ranking to “Very Good” due to the added recommendation of password managers. CISA’s score has risen from “Very Good” to “Excellent” by making their information easier to access and digest. The NIST website has remained disorganized, although its content is very sound. Over the years, many agencies have trended in a better direction in terms of their password security recommendations and overall cybersecurity posture, including CISA, the FBI, the FTC, and the SBA.

Technology moves fast. For businesses and individuals, so much of our lives are now online in myriad accounts ranging from fun entertainment sites to serious financial businesses like our bank accounts.

This assessment aims to engage and educate everyone who uses passwords on the best practices coming from the federal government and where there is room for improvement. Many within the federal government have a solid educational approach to password security, and others might need a bit of assistance to modernize.

Fortunately, consensus is building on best practices for password security. This report consolidates and assesses the details.

[View the State of Password Security Presentation](#)

Table of Contents

[Guideline to Password Security Rating System](#)

[National Institute of Standards and Technology \(NIST\)](#)

[Cybersecurity and Infrastructure Security Agency \(CISA\)](#)

[The National Security Agency \(NSA\)](#)

[Department of Homeland Security](#)

[Federal Bureau of Investigation \(FBI\)](#)

[Federal Trade Commission \(FTC\)](#)

[Department of Commerce](#)

[Federal Communications Commission \(FCC\)](#)

[Small Business Administration \(SBA\)](#)

[Securities and Exchange Commission \(SEC\)](#)

[The White House](#)

[Summary](#)

[Additional Resources](#)

The State of Password Security: How federal agencies are addressing password security

[Download](#)

Guideline to Password Security Rating System

The rating system ranks agencies based on adherence to the following criteria:



Excellent

- Recommends use of a password manager
- Calls out importance of strong passwords
- Cites need for 2FA/MFA to further support password security
- Overall security advice is up-to-date and adheres to NIST guidelines
- Lays out password security recommendations in a clear, digestible, and easy-to-find manner



Very Good

- Recommends use of a password manager
- Calls out importance of strong passwords
- Cites need for 2FA/MFA to further support password security
- Overall security advice is up-to-date and adheres to NIST guidelines
- Does not lay out password security recommendations in a clear, digestible, and easy-to-find manner



Good

- Does not recommend use of a password manager
- Calls out importance of strong passwords
- Cites need for 2FA/MFA to further support password security
- Overall security advice is not up-to-date and does not adhere to NIST guidelines
- Does not lay out password security recommendations in a clear, digestible, and easy to find manner



Fair

- Does not recommend use of a password manager
- Calls out importance of strong passwords
- Does not consistently cite the need for 2FA/MFA to further support password security
- Overall security advice is not up-to-date and does not adhere to NIST guidelines
- Does not lay out password security recommendations in a clear, digestible, and easy to find manner



Room for Improvement

- Does not recommend use of a password manager
- Does not call out importance of strong passwords
- Does not cite the need for 2FA/MFA to further support password security
- Overall security advice is not up-to-date and does not adhere to NIST guidelines
- Does not lay out password security recommendations in a clear, digestible, and easy to find manner

National Institute of Standards and Technology (NIST)

NIST Risk Management Framework | IA-5(18)

Agency Advice:

- Authenticator Management | Password Managers
 - Employ [Assignment: Organization-defined password managers] to generate and manage passwords; and
 - Protect the passwords using [assignment: organization-defined controls].
 - For systems where static passwords are employed, it is often a challenge to ensure that the passwords are suitably complex and that the same passwords are not employed on multiple systems. A password manager is a solution to this problem as it [automatically generates and stores strong](#) and different passwords for various accounts. A potential risk of using password managers is that adversaries can target the collection of passwords generated by the password manager. Therefore, the collection of passwords requires protection including encrypting the passwords and storing the collection offline in a token.

- [Reference](#)

Digital Identity Guidelines

Agency Advice:

- A Password (sometimes referred to as a passphrase or, if numeric, a PIN) is a secret value intended to be chosen and either memorized or recorded by the subscriber. Passwords must be of sufficient complexity and secrecy that it would be impractical for an attacker to guess or otherwise discover the correct secret value. A password is “something you know”.
- The requirements in this section apply to centrally verified passwords that are used as independent authentication factors and sent over an authenticated protected channel to the verifier of a CSP. Passwords used locally as an activation factor for a multi-factor authenticator are referred to as activation secrets and discussed in [Sec. 3.2.10](#).
- Passwords **SHALL** either be chosen by the subscriber or assigned randomly by the CSP.
- If the CSP disallows a chosen password because it is on a blacklist of commonly used, expected, or compromised values (see [Sec. 3.1.1.2](#)), the subscriber **SHALL** be required to choose a different password. Other complexity requirements for passwords **SHALL NOT** be imposed. A rationale for this is presented in [Appendix A, Strength of Passwords](#).
- The following requirements apply to passwords:
 - Verifiers and CSPs **SHALL** require passwords to be a minimum of eight characters in length and **SHOULD** require passwords to be a minimum of 15 characters in length.
 - Verifiers and CSPs **SHOULD** permit a maximum password length of at least 64 characters.
 - Verifiers and CSPs **SHOULD** accept all printing ASCII [\[RFC20\]](#) characters and the space character in passwords. Verifiers and CSPs **SHOULD** accept Unicode [\[ISO/ISC 10646\]](#) characters in passwords. Each Unicode code point **SHALL** be counted as a single character when evaluating password length.
- Verifiers and CSPs **SHALL NOT** impose other composition rules (e.g., requiring mixtures of different character types) for passwords.



NIST



National Institute of Standards and Technology (NIST)

Overall Bitwarden assessment: Very Good

- Recommends use of a password manager
- Calls out importance of strong passwords
- Cites need for 2FA/MFA to further support password security
- Overall security advice is up-to-date and adheres to NIST guidelines (NIST sets the standard for federal government security advice)
- Does not lay out password security recommendations in a clear, digestible, and easy-to-find manner

While the advice is thorough and sets the standards for agencies, accessing password guidelines via the website isn't intuitive. The advice is buried in very long PDFs and written in a way that isn't user-friendly.

- Verifiers and CSPs **SHALL NOT** require users to change passwords periodically. However, verifiers **SHALL** force a change if there is evidence of compromise of the authenticator.
- Verifiers and CSPs **SHALL NOT** permit the subscriber to store a hint that is accessible to an unauthenticated claimant.
- Verifiers and CSPs **SHALL NOT** prompt subscribers to use knowledge-based authentication (KBA) (e.g., "What was the name of your first pet?") or security questions when choosing passwords.
- Verifiers **SHALL** verify the entire submitted password (i.e., not truncate it).
- When processing a request to establish or change a password, verifiers **SHALL** compare the prospective secret against a blocklist that contains known commonly used, expected, or compromised passwords. The entire password **SHALL** be subject to comparison, not substrings or words that might be contained therein. For example, the list **MAY** include but is not limited to:
 - Passwords obtained from previous breach corpuses
 - Dictionary words
 - Context-specific words, such as the name of the service, the username, and derivatives thereof
 - If the chosen password is found on the blocklist, the CSP or verifier **SHALL** require the subscriber to select a different secret and **SHALL** provide the reason for rejection. Since the blocklist is used to defend against brute-force attacks and unsuccessful attempts are rate-limited, as described below, the blocklist **SHOULD** be of sufficient size to prevent subscribers from choosing passwords that attackers are likely to guess before reaching the attempt limit.
- Verifiers **SHALL** offer guidance to the subscriber to assist the user in choosing a strong password. This is particularly important following the rejection of a password on the blocklist as it discourages trivial modification of listed weak passwords [Blocklists].
- Verifiers **SHALL** implement a rate-limiting mechanism that effectively limits the number of failed authentication attempts that can be made on the subscriber account, as described in Sec. 3.2.2.
- Verifiers **SHALL** allow the use of password managers. Verifiers **SHOULD** permit claimants to use the "paste" functionality when entering a password to facilitate their use. Password managers have been shown to increase the likelihood that users will choose stronger passwords, particularly if the password managers include password generators [Managers].
- Verifiers **SHALL** store passwords in a form that is resistant to offline attacks. Passwords **SHALL** be salted and hashed using a suitable password hashing scheme. Password hashing schemes take a password, a salt, and a cost factor as inputs and generate a password hash. Their purpose is to make each password guess more expensive for an attacker who has obtained a hashed password file, thereby making the cost of a guessing attack high or prohibitive. The chosen cost factor **SHOULD** be as high as practical without negatively impacting verifier performance. It **SHOULD** be increased over time to account for increases in computing performance. An approved password hashing scheme published in the latest revision of [SP800-132] or updated NIST guidelines on password hashing schemes **SHOULD** be used. The chosen output length of the password verifier, excluding the salt and versioning information, **SHOULD** be the same as the length of the underlying password hashing scheme output.

"Verifiers **SHOULD** permit claimants to use "paste" functionality when entering a memorized secret. This facilitates the use of password managers, which are widely used and in many cases increase the likelihood that users will choose stronger memorized secrets."

NIST

- The salt **SHALL** be at least 32 bits in length and chosen to minimize salt value collisions among stored hashes. Both the salt value and the resulting hash **SHALL** be stored for each password. A reference to the password hashing scheme used, including the work factor, **SHOULD** be stored for each password to allow migration to new algorithms and work factors. For example, for the Password-Based Key Derivation Function 2 (PBKDF2) [\[SP800-132\]](#), the cost factor is an iteration count: the more times that the PBKDF2 function is iterated, the longer it takes to compute the password hash.
- In addition, verifiers **SHOULD** perform an additional iteration of a keyed hashing or encryption operation using a secret key known only to the verifier. If used, this key value **SHALL** be generated by an approved random bit generator, as described in [Sec. 3.2.12](#). The secret key value **SHALL** be stored separately from the hashed passwords. It **SHOULD** be stored and used within a hardware-protected area, such as a hardware security module or trusted execution environment (TEE). With this additional iteration, brute-force attacks on the hashed passwords are impractical as long as the secret key value remains secret.
- [Cybersecurity Awareness Month 2023 Blog Series](#)
 - Agency Advice
 - Passwords are still the most widely used authentication mechanism for gaining access to resources of interest. Passwords are the frontline defense to protect data confidentiality and integrity against cybercriminals and data breaches. Good, strong passwords help people to stay secure and private online.
- [Reference](#)

Cybersecurity and Infrastructure Security Agency (CISA)



Excellent



 bitwarden

Cybersecurity and Infrastructure Security Agency (CISA)

Overall Bitwarden assessment: Excellent

- Recommends use of a password manager
- Calls out importance of strong passwords
- Cites need for 2FA/MFA to further support password security
- Overall security advice is up-to-date and adheres to NIST guidelines
- Lays out password security recommendations in a clear, digestible, and easy-to-find manner

The National Security Agency (NSA)

Stop Ransomware Guide

Agency Advice:

- Implement password policies that require unique passwords of at least 15 characters
 - Password managers can help you develop and manage secure passwords. Secure and limit access to any password managers in use and enable all security features available on the product in use, such as MFA.
- [Reference](#)



Very Good



 bitwarden

Cisco Password Types: Best Practices

Agency Advice:

- The rise in the number of compromises of network infrastructures in recent years is a reminder that authentication to network devices is an important consideration. Network devices could be compromised due to:
 - Poor password choice (vulnerable to brute force password spraying)
 - Router configuration files (which contain hashed passwords) sent via unencrypted email, or
 - Reused passwords (where passwords recovered from a compromised device can then be used to compromise other devices).
- Using passwords by themselves increases the risk of device exploitation. While NSA strongly recommends multi-factor authentication for administrators managing critical devices, sometimes passwords alone must be used. Choosing good password storage algorithms can make exploitation much more difficult.
- To provide as much protection as possible, use strong passwords to prevent them from being cracked and converted to plaintext. Comply with a password policy that:
 - Consists of a combination of lowercase and uppercase letters, symbols, and numbers;
 - Is at least 15 alphanumeric characters; and
 - Patterns that are not:
 - A keyboard walk
 - The same as a user name
 - The default password
 - The same as a password used anywhere else
 - Related to the network, organization, location, or other function identifiers
 - Straight from a dictionary, common acronyms, or easy to guess

- [Reference](#)

Keeping Safe on Social Media

Agency Advice:

- Secure and strengthen your passwords
 - Use unique and strong passwords for each online account. Reusing passwords across multiple accounts can expose data from all of the accounts if the password is discovered. Make sure that your password is of adequate length and complexity, using a combination of letters, numbers, and special characters. Where possible, implement multi-factor authentication using an authentication token or app so that someone can't access your account even if your password is compromised. Never share passwords and avoid using information that could be guessed based on your social media profiles or public information.

- [Reference](#)

Selecting Secure Multi-factor Authentication Solutions

The National Security Agency (NSA)

Overall Bitwarden assessment: **Very Good**

- Recommends use of a password manager
- Calls out importance of strong passwords
- Cites need for 2FA/MFA to further support password security
- Overall security advice is not up-to-date and doesn't adhere to NIST guidelines
- Does not lay out password security recommendations in a clear, digestible, and easy-to-find manner

"Disable the feature that allows web browsers to remember your passwords. Secure your passwords in a password manager."

NSA

Agency Advice:

- Criteria to consider when selecting a multi-factor authentication solution: The National Institute of Standards and Technology's Computer Security Resource Center recently updated its "Digital Identity Guidelines⁴" (SP 800-63-3). It provides standard definitions and assigns assurance levels for various authentication solutions. The criteria below reflect NIST's requirements to ensure that a solution is validated to resist a number of common exploits. A complete authentication solution must be properly implemented using standard, validated mechanisms. It must also include authenticators, validators, and supporting lifecycle processes. Some commercial solutions focus on authenticators and require an organization to manage validators and lifecycle processes. Other commercial solutions validate multiple types of authenticators, manage multi-step authentication mechanisms, and manage trust in authenticators from various identity providers in support of multiple services. These often require the customer to acquire one or more authenticator solutions and configure servers to accept the assertions of an authentication server that performs identity federation. SP 800-63-3 also includes criteria for identity federation.
- [Reference](#)

Department of Homeland Security

CISA falls under the DHS

Cybersecurity page

Agency Advice:

- President Biden has made cybersecurity, a critical element of the Department of Homeland Security's (DHS) mission, a top priority for the Biden-Harris Administration at all levels of government.
- To advance the President's commitment, and to reflect that enhancing the nation's cybersecurity resilience is a top priority for DHS, Secretary Mayorkas issued a call for action dedicated to cybersecurity in his first month in office. This call for action focused on tackling the immediate threat of ransomware and on building a more robust and diverse workforce.
- In March 2021, Secretary Mayorkas outlined his broader vision and a roadmap for the Department's cybersecurity efforts in a virtual address hosted by RSA Conference, in partnership with Hampton University and the Girl Scouts of the USA.
- After his presentation, the [Secretary was joined by Judith Batty, Interim CEO of the Girls Scouts, for a fireside chat](#) to discuss the unprecedented cybersecurity challenges currently facing the United States. Dr. Chutima Boonthum-Denecke from Hampton University's Computer Science Department introduced the Secretary and facilitated a Q&A to close the program.
 - [Overview of DHS Cybersecurity Sprints](#)
 - [Overview of Additional Ongoing Cybersecurity Priorities](#)
 - [Additional Information](#)
- [Reference](#)



Room for Improvement



bitwarden

Department of Homeland Security**Overall Bitwarden assessment: Room for Improvement**

- Does not recommend use of a password manager
- Does not call out importance of strong passwords
 - Offers inaccurate and misguided password security advice OR does not mention passwords or password security
 - Does not clearly call out password-related advice
- Does not consistently cite the need for 2FA/MFA to further support password security
- Overall security advice is not up-to-date and does not adhere to NIST guidelines
- Does not lay out password security recommendations in a clear, digestible, and easy to find manner

Federal Bureau of Investigation (FBI)

The Cyber Threat

Agency Advice:

- Internet-enabled crimes and cyber intrusions are becoming increasingly sophisticated and preventing them requires each user of a connected device to be aware and on guard.
- Keep systems and software up to date and install a strong, reputable anti-virus program.
- Be careful when connecting to a public Wi-Fi network and do not conduct any sensitive transactions, including purchases, when on a public network.
- Create a strong and unique passphrase for each online account and change those passphrases regularly.
- Set up multi-factor authentication on all accounts that allow it.
- Examine the email address in all correspondence and scrutinize website URLs before responding to a message or visiting a site
- Don't click on anything in unsolicited emails or text messages.
- Be cautious about the information you share in online profiles and social media accounts. Sharing things like pet names, schools, and family members can give scammers the hints they need to guess your passwords or the answers to your account security questions.
- Don't send payments to unknown people or organizations that are seeking monetary support and urge immediate action.
- [Reference](#)

Scams and safety on the internet

Agency Advice:

- **Keep your firewall turned on**

A firewall helps protect your computer from hackers who might try to gain access to crash it, delete information, or even steal passwords or other sensitive information. Software firewalls are widely recommended for single computers. The software is prepackaged on some operating systems or can be purchased for individual computers. For multiple networked computers, hardware routers typically provide firewall protection.

- **Install or update your antivirus software**

Antivirus software is designed to prevent malicious software programs from embedding on your computer. If it detects malicious code, like a virus or a worm, it works to disarm or remove it. Viruses can infect computers without users' knowledge. Most types of antivirus software can be set up to update automatically.

- **Install or update your antispyware technology**

Spyware is just what it sounds like—software that is surreptitiously installed on your computer to let others peer into your activities on the computer. Some spyware collects information about you without your consent or produces unwanted pop-up ads on your web browser. Some operating systems offer free spyware protection, and inexpensive software is readily available for download on the Internet or at your local computer store. Be wary of ads on the Internet offering downloadable antispyware—in some cases these products may be fake and may actually contain spyware or other malicious code. It's like buying groceries—shop where you trust.



Good



 bitwarden

Federal Bureau of Investigation (FBI)

Overall Bitwarden assessment: Good

- Does not recommend use of a password manager
- Calls out importance of strong passwords
- Cites the need for 2FA/MFA to further support password security
- Overall security advice is not up-to-date and does not adhere to NIST guidelines
- Does not lay out password security recommendations in a clear, digestible, and easy to find manner

- **Keep your operating system up to date**

Computer operating systems are periodically updated to stay in tune with technology requirements and to fix security holes. Be sure to install the updates to ensure your computer has the latest protection.

- **Be careful what you download**

Carelessly downloading email attachments can circumvent even the most vigilant anti-virus software. Never open an e-mail attachment from someone you don't know, and be wary of forwarded attachments from people you do know. They may have unwittingly advanced malicious code.

- **Turn off your computer**

With the growth of high-speed Internet connections, many opt to leave their computers on and ready for action. The downside is that being "always on" renders computers more susceptible. Beyond firewall protection, which is designed to fend off unwanted attacks, turning the computer off effectively severs an attacker's connection—be it spyware or a botnet that employs your computer's resources to reach out to other unwitting users.

- [Reference](#)

"Be careful with what information you share online or on social media. By openly sharing things like pet names, schools you attended, links to family members, and your birthday, you can give a scammer all the information they need to guess your password or answer your security questions."

FBI

Federal Trade Commission (FTC)

Protect Your Personal Information with Strong Passwords and Two-Factor Authentication

Agency Advice:

- Your online accounts may contain a lot of your personal information. Protect them with a strong password that's hard to guess and turn on two-factor authentication.
- When it comes to passwords, you have a few options:
 - Create your own password
 - Choose an automatically generated password
 - Use a password manager
- Create your own password. If you create your own password, make it long. Aim for at least 15 characters. Use a combination of uppercase and lowercase letters, numbers, and symbols.
- Since a long password can be hard to remember, you may find it easier to use a passphrase. A passphrase is a series of words separated by spaces. If you use a passphrase
 - Make sure it consists of random words
 - Avoid using common phrases, song lyrics, or movie quotes that are easy for a hacking program to guess
 - Choose an automatically generated password. Studies show that people aren't good at creating and remembering strong passwords. You can have your browser or device create a password for you. Here's more info on how that works:
 - [Google Chrome](#)
 - [Mac](#)
 - [Microsoft Edge](#)
 - [Firefox](#)
 - [iPhone iOS](#)
 - [Android](#)
- Use a password manager. A third-party password manager also can create a strong password. To find a reputable password manager, read expert reviews. Make sure the password for your password manager is strong. And protect it like you do your other passwords.
- Strong passwords can be hard to remember. But your browser and device can save your password. So can your password manager. And they can auto-populate your password the next time you log in to a website or app.
- Use two-factor authentication. Using a strong password is an important step in protecting your account from hackers. But even strong passwords are vulnerable to cyberattacks. Using [two-factor authentication](#) adds an extra layer of security to your account. A hacker who steals your password can't log in to your account without the second authentication factor.
- The most common type of two-factor authentication is a [verification passcode you get by text message or email](#). This one-time passcode is typically six digits or longer and expires automatically.



Excellent



bitwarden

Federal Trade Commission (FTC)

Overall Bitwarden assessment: Excellent

- Recommends use of password manager
- Calls out importance of strong passwords
- Cites need for 2FA/MFA to further support password security
- Overall security advice is up-to-date and adheres to NIST guidelines
- Lays out password security recommendations in a clear, digestible, and easy-to-find manner

"Use a password manager. A third-party password manager also can create a strong password. To find a reputable password manager, read expert reviews. Make sure the password for your password manager is strong. And protect it like you do your other passwords."

- The more secure types of two-factor authentication are an [authenticator app](#) or a [security key](#). Choose one of these methods for more protection if you have the option.
- [Reference](#)

Password checklist

Agency Advice:

- **Make sure your password is long and strong.** That means at least 12 characters. Making a password longer is generally the easiest way to make it stronger. Consider using a passphrase of random words so that your password is more memorable, but avoid using common words or phrases. If the service you are using does not allow long passwords, you can make your password stronger by mixing uppercase and lowercase letters, numbers, and symbols.
- **Don't reuse passwords you've used on other accounts.** Use different passwords for different accounts. That way, if a hacker gets your password for one account, they can't use it to get into your other accounts.
- **Use multi-factor authentication when it's an option.** Some accounts offer extra security by requiring something in addition to a password to log in to your account. This is called multi-factor authentication. The "something extra" you need to log in to your account fall into two categories:
 - Something you have — like a passcode you get via an authentication app or a security key.
 - Something you are — like a scan of your fingerprint, your retina, or your face.
- **Consider a password manager.** Most people have trouble keeping track of all of their passwords. The longer and more complicated a password is, the stronger it is, but a longer password can also be more difficult to remember. Consider storing your passwords and security questions in a reputable password manager. To find a reputable password manager, search independent review sites, and talk to friends and family for ones that they use. Make sure to use a strong password to secure the information in your password manager.
- **Pick security questions only you know the answer to.** If a site asks you to answer security questions, avoid providing answers that are available in public records or easily found online, like your zip code, birthplace, or your mother's maiden name. And don't use questions with a limited number of responses that attackers can easily guess — like the color of your first car. You can even use nonsense answers to make guessing more difficult — but if you do, make sure you can remember what you use.
- **Change passwords quickly if there's a breach.** If a company tells you there was a data breach where a hacker could have gotten your password, change the password you use with that company right away, and on any account that uses a similar password.
- [Reference](#)

Department of Commerce

National Cybersecurity Month: Protecting Yourself Online

Agency Advice:

- Previously, the conventional wisdom was to create passwords using special characters, capitalization, numbers, letters, and a variety of arbitrary rules including forcing you to change your password multiple times per year. [Research](#) shows each of us did the same thing in response—re-used passwords or created variations of the same password because we'd been asked to memorize dozens of unique passwords for every site, log-in, or application.
- Our natural instincts created a weakness in our online security and cyber criminals took advantage. Research on the use of passwords has demonstrated the inherent weakness in expecting users to memorize arbitrarily complex passwords, and the importance of using multi-factor authentication (MFA) to safeguard our private information. Importantly, our thinking has evolved around this topic, and we've identified the following practices to better protect ourselves:
 - When you must use a password, use a longer password (15 or more characters) or even passphrases, as these provide greater protection than a shorter, arbitrarily complex password. Passphrases have the added benefit of being easy to remember.
 - Employing MFA (such as a one-time code emailed to you or an authenticator app on your phone) adds a second, critical layer to protect against a compromised password. MFA should be set up anytime it is available. It just takes a couple moments and will give you peace of mind.
 - Password managers, protected by one very strong, long password with MFA enabled, allow us to create unique passwords for each site without needing to memorize them all.
- [Reference](#)

NIST falls under the Department of Commerce

Agency Advice:

- Ensuring the security of our interconnected global networks, and the devices and data connected to those networks is one of the defining challenges of our era.
- The Department of Commerce is tasked with enhancing cybersecurity awareness and protections, protecting privacy, maintaining public safety, supporting economic and national security, and empowering Americans to better manage their safety online.
 - [NIST Releases Version 1.0 of Privacy Framework](#)
 - [NIST Offers 'Quick-Start' Guide for Its Security and Privacy Safeguards Catalog](#)
 - [Small Business Cybersecurity Corner](#)
- [Reference](#)



Very Good



 bitwarden

Department of Commerce

Overall Bitwarden assessment: Very Good

- Recommends use of a password manager
- Calls out importance of strong passwords
- Cites need for 2FA/MFA to further support password security
- Overall security advice is up-to-date and adheres to NIST guidelines
- Does not lay out password security recommendations in a clear, digestible, and easy-to-find manner

Federal Communications Commission (FCC)**Cybersecurity tip sheet for small businesses**

- Train employees in security principles. Establish basic security practices and policies for employees, such as requiring strong passwords and establish appropriate Internet use guidelines, that detail penalties for violating company cybersecurity policies. Establish rules of behavior describing how to handle and protect customer information and other vital data.
- Require employees to use unique passwords and change passwords every three months. Consider implementing multi-factor authentication that requires additional information beyond a password to gain entry. Check with your vendors that handle sensitive data, especially financial institutions, to see if they offer multi-factor authentication for your account.
- [Reference](#)

10. Passwords and authentication

Require employees to use unique passwords and change passwords every three months. Consider implementing multi-factor authentication that requires additional information beyond a password to gain entry. Check with your vendors that handle sensitive data, especially financial institutions, to see if they offer multi-factor authentication for your account.



Fair



Federal Communications Commission (FCC)**Overall Bitwarden assessment: Fair**

- Does not recommend use of a password manager
- Calls out importance of strong passwords
 - Links to content that focuses on password security
 - However, content is clearly outdated and could be more organized
- Does not consistently cite the need for 2FA/MFA to further support password security
- Overall security advice is not up-to-date and does not adhere to NIST guidelines
 - Against NIST guidelines, recommends changing passwords every three months
- Does not lay out password security recommendations in a clear, digestible, and easy to find manner

Small Business Administration (SBA)

Best practices for preventing cyberattacks

Agency Advice:

- What is the leading cause of small business data breaches? Employees and work-related communications. They are direct pathways into your systems. Train your employees on internet usage best practices. This can help in preventing cyberattacks. Other useful training topics include:
 - Spotting phishing emails
 - Using good internet browsing practices
 - Avoiding suspicious downloads
 - Enabling authentication tools (strong passwords, Multi-Factor Authentication, etc.)
 - Protecting sensitive vendor and customer information
- [Reference](#)

Enable Multi-Factor Authentication

Agency Advice:

- Multi-Factor Authentication (MFA) is an important security measure. It verifies someone's identity by requiring more than a [username](#) and password alone. MFA may require users to provide two or more of the following:
 - Something the user knows (password, phrase, PIN)
 - Something the user has (physical token, phone)
 - Something that physically identifies the user (fingerprint, facial recognition)
- Check with your vendors to see if they offer MFA for any of your accounts (for example, financial, accounting, payroll).
- [Reference](#)



Good



 bitwarden

Small Business Administration (SBA)

Overall Bitwarden assessment: Good

- Does not recommend use of a password manager
- Calls out importance of strong passwords
- Cites the need for 2FA/MFA to further support password security
- Overall security advice is not up-to-date and does not adhere to NIST guidelines
- Does not lay out password security recommendations in a clear, digestible, and easy-to-find manner

Securities and Exchange Commission (SEC)

In July 2023, the SEC [“adopted final rules](#) that will require public companies to disclose both material cybersecurity incidents they experience and, on an annual basis, material information regarding their cybersecurity risk management, strategy, and governance.” Given the SEC’s role in enforcing cybersecurity compliance, it seems prudent to assess the SEC’s own password security advice.

A search for “password security” on the SEC.gov website reveals 10 documents, all of which appear to be from years ago. There is a page devoted to cybersecurity, but it offers fairly general recommendations repurposed from CISA. A cybersecurity risk alert from 2020 titled “Cybersecurity: Safeguarding Client Accounts against Credential Compromise” leads to a PDF that discusses credential stuffing. While the word “password” is used throughout, “password security is not explicitly mentioned. “Strong passwords” are referenced in the below context:

Cybersecurity: Safeguarding Client Accounts Against Credential Compromise

Agency Advice:

- As firms prepare for credential stuffing attacks, OCIE staff encourages firms to consider their current practices (e.g., MFA and other practices described above) and any potential limitations of those practices, and to consider whether the firm’s customers and staff are properly informed on how they can better secure their accounts. Informed Customers Most firms require customers and staff to create and use strong passwords. However, the use of passwords is less effective if customers and/or staff re-use passwords from other sites. To be more effective, some firms have informed and encouraged clients and staff to create strong, unique passwords and to change passwords if there are indications that their password has been compromised.
- [Reference](#)

The Commission has noted that cybersecurity risks have increased alongside the ever-increasing share of economic activity that depends on electronic systems, the growth of remote work, the ability of criminals to monetize cybersecurity incidents, the use of digital payments, and the increasing reliance on third party service providers for information technology services, including cloud computing technology. In my view, artificial intelligence and other technologies may enhance both the ability of public companies to defend against cybersecurity threats but also the capacity of threat actors to launch sophisticated attacks. The Commission also observed that the cost to companies and their investors of cybersecurity incidents is rising at an increasing rate. All of these trends highlight investors’ need for improved disclosure.



Fair



Securities and Exchange Commission (SEC)**Overall Bitwarden assessment: Fair**

- Does not recommend use of a password manager
- Calls out importance of strong passwords
 - Links to dated content that acknowledges strong passwords but could be much more explicit
- Does not consistently cite the need for 2FA/MFA to further support password security
 - While 2FA/MFA is referenced in the PDF linked above, it is not prolific advice and requires some searching to find
- Overall security advice is not up-to-date and does not adhere to NIST guidelines
- Does not lay out password security recommendations in a clear, digestible, and easy to find manner

The White House

This section was updated in January 2025 and will be updated to reflect new administration policies as they become available.



Good



Updated January 2025

 bitwarden

A Proclamation on Cybersecurity Awareness Month, 2023

Agency Advice:

- "I call upon the people, businesses, and institutions of the United States to recognize and act on the importance of cybersecurity and to observe Cybersecurity Awareness Month in support of our national security and resilience. I also call upon business and institutions to take action to better protect the American people against cyber threats and create new opportunities for American workers to pursue good-paying cyber jobs. Americans can also take immediate action to better protect themselves such as turning on multifactor authentication, updating software on computers and devices, using strong passwords, and remaining cautious of clicking on links that look suspicious."
- [Reference](#)

Delivering a Digital-First Public Experience

Agency Advice:

- Agencies shall ensure websites that require the public to authenticate are compatible with commonly-used password managers, and shall not prevent the "pasting" of passwords or other automated, client-side assistive mechanisms.
- [Reference](#)

Readout of White House Multifactor Authentication Modernization Symposium

Agency Advice:

- "You need more than a password to stay safe online—and that's where multi-factor authentication steps in to ensure your data is better protected against malicious cyber actors," CISA Executive Director Brandon Wales said. "CISA has consistently urged organizations to implement MFA for all users to ensure any critical data is harder to access. Today's symposium is about coming together to map out the vision we are all striving towards making a reality."
- [Reference](#)

Biden-Harris Administration Announces Cybersecurity Labeling Program for Smart Devices to Protect American Consumers

Agency Advice

- Acting under its authority to regulate wireless communication devices, the FCC is expected to seek public comment on rolling out the proposed voluntary cybersecurity labeling program, which is expected to be up and running in 2024. As proposed, the program would leverage stakeholder-led efforts to certify and label products, based on specific cybersecurity criteria published by the National Institute of Standards and Technology (NIST) that, for example, requires unique and strong default passwords, data protection, software updates, and incident detection capabilities.

- [Reference](#)

The White House**Overall Bitwarden
assessment through 2024:
Good**

- Does not recommend use of a password manager
 - In a 2022 Cybersecurity Awareness Month communication, the White House recommended use of a password manager. The White House had the opportunity to do the same in the 2023 Cybersecurity Awareness blog. They did not. While the blog recommends 'using strong passwords', there is no mention of password managers.
- Calls out importance of strong passwords
- Cites need for 2FA/MFA to further support password security
- Overall security advice is not up-to-date and does not adhere to NIST guidelines
 - In previous communications, the White House has recommended changing passwords, in contradiction to NIST advice. Passwords should only be changed if they are weak, reused, or have been compromised. A

strong and unique password may never need to be changed unless you suspect it has been compromised.

- Does not lay out password security recommendations in a clear, digestible, and easy to find manner
 - No dedicated cybersecurity page

Summary

There are many steps you can take to stay safe online, but the simplest action with the most significant and immediate impact on your security is to use a password manager. Choose a cross-platform password manager with [zero knowledge end-to-end encryption](#) that can generate and store unlimited unique and strong passwords. You can get started with Bitwarden on a [free account](#) or opt for Premium for less than \$10/year to get advanced features.

Additional Resources

- View the [State of Password Security Presentation](#)